

SAFETY DATA SHEET

Issuing Date No data available

Revision Date 2-March-2016

Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	S-11000 Ure-Kote Series
Other means of identification	
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Industrial Use Only
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Name	Arizona Polymer Flooring, Inc.
Supplier Address	4565 W. WATKINS ST. PHOENIX, AZ 85043 US
Supplier Phone Number	Phone:623-435-2277
Emergency telephone number	
Company Emergency Phone Number	800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

GHS Label elements, including precautionary statements

		Emergency Overview	
Signal word		Warning	
Hazard Staten Suspected of c May cause dan	ausing cancer	rough prolonged or repeated exposure	
	>		
Appearance	Color	Physical state Liquid	Odor Mild

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store in a cool, dry place away from incompatible materials.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

30.667 % of the mixture consists of ingredient(s) of unknown toxicity

Other information

No information available

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Supplier Trade Secret	Proprietary	5 - 10	*
Supplier Trade Secret	Proprietary	1 - 5	*
Supplier Trade Secret	Proprietary	1 - 5	*
Supplier Trade Secret	Proprietary	1 - 5	*
Supplier Trade Secret	Proprietary	0.1 - 1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice	Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.
Skin contact	Wash with soap and water.
Inhalation	Remove to fresh air.
Ingestion	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.
Most important symptoms and effe	cts, both acute and delayed
Most Important Symptoms and Effects	No information available.
Indication of any immediate medical attention and special treatment needed	

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Hazardous Combustion Products

Carbon oxides. Carbon monoxide. Carbon dioxide (CO₂).

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with eyes. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.	
Other Information	Refer to protective measures listed in Sections 7 and 8.	
Environmental precautions		
Environmental processions	Peter to protective measured listed in Sections 7 and 9	
Environmental precautions	Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containme	ent and cleaning up	
Mathada far cartainmant	Descent for the second s	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers. Soak up with inert absorbent material.	

7. HANDLING AND STORAGE

Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.	
Conditions for safe storage, includ	ing any incompatibilities	
Storage	Keep container tightly closed. Store in a cool, dry place aware from incompatible products.	
Incompatible Products	Acid chlorides. Acid anhydrides. Chloroformates. Strong oxidizing agents. Strong reducing agents.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Supplier Trade Secret	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ total	IDLH: 5000 mg/m ³
		dust	
Supplier Trade Secret	Ceiling: 100 mg/m ³ aerosol only	(vacated) Ceiling: 50 ppm (vacated) Ceiling: 125 mg/m ³	
Supplier Trade Secret	TWA: 5 mg/m ³ respirable	TWA: 10 mg/m ³ fume	IDLH: 2500 mg/m ³ Fe dust and
	fraction	TWA: 15 mg/m ³ total dust	fume
		TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ Fe dust and fume
		fraction	-
		(vacated) TWA: 10 mg/m ³ fume	
		and total dust Iron oxide	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction regulated	
		under Rouge	
Supplier Trade Secret	STEL: 15 ppm	(vacated) TWA: 10 ppm	Ceiling: 4 ppm 15 min
	TWA: 10 ppm	(vacated) TWA: 30 mg/m ³	Ceiling: 15 mg/m ³ 15 min
		(vacated) STEL: 20 ppm	
		(vacated) STEL: 60 mg/m ³	
Supplier Trade Secret	TWA: 3 mg/m ³ inhalable fraction	TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³
		(vacated) TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³
			TWA: 0.1 mg/m ³ Carbon black in
			presence of Polycyclic aromatic
			hydrocarbons PAH

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures

Showers Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection	No special protective equipment required.
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state	Liquid		
Appearance	Color	Odor	Mild
Color	No information available	Odor Threshold	No information available
-		B I I I I I I I I I I	
Property	<u>Values</u>	Remarks Method	
рН	6.3	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	1.27	None known	
Water Solubility	Soluble in water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wat	erNo data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing properties	No data available		
Other Information			
Other Information			
Softening Point	No data available		
VOC Content (%)	No data available		
Particle Size	No data available		
Particle Size Distribution			

10. STABILITY AND REACTIVITY

Reactivity

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

<u>Conditions to avoid</u> None known based on information supplied. <u>Incompatible materials</u> Acid chlorides. Acid anhydrides. Chloroformates. Strong oxidizing agents. Strong reducing agents. <u>Hazardous Decomposition Products</u> Carbon oxides. Carbon monoxide. Carbon dioxide (CO2).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Supplier Trade Secret	> 10000 mg/kg (Rat)	-	-
Supplier Trade Secret	= 4000 mg/kg (Rat)	-	-
Supplier Trade Secret	> 10000 mg/kg (Rat)	-	-
Supplier Trade Secret	= 2920 mg/kg (Rat)	= 2320 mg/kg (Rabbit)	= 11400 mg/m ³ (Rat) 4 h = 11.4 mg/L (Rat) 4 h
Supplier Trade Secret	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Mutagenic Effects

No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA		
Supplier Trade Secret		Group 2B		X		
Supplier Trade Secret		Group 3				
Supplier Trade Secret	A3	Group 2B		Х		
Supplier Trade Secret	A3	Group 2B		X		
ACGIH (American Conference A3 - Animal Carcinogen IARC (International Agency for Group 2B - Possibly Carcinoger Group 3 - Not Classifiable as to OSHA (Occupational Safety an X - Present	r Research on Cano nic to Humans Carcinogenicity in Ηι	ser) Imans	of Labor)			
Reproductive toxicity	No informat	ion available.				
STOT - single exposure	No informat	No information available.				
STOT - repeated exposure	classificatio 1910.1200)	Causes damage to organs through prolonged or repeated exposure. Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity f chronic or repeated exposure. (STOT RE).				
Chronic Toxicity	carcinogen. Titanium dio (IARC) as p been classil	ffect based on information Avoid repeated exposure. oxide has been classified by ossibly carcinogenic to hun fied by the International Age c to humans (Group 2B) by	Prolonged exposure ma y the International Agenc nans (Group 2B) by inha ency for Research on Ca	y cause chronic effects. cy for Research on Cancer lation. Carbon black has		
Target Organ Effects	Respiratory	system. Eyes. Skin. Gastro	pintestinal tract (GI).			
Aspiration Hazard	No informat	ion available.				

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 9,144.00 mg/kg ATEmix (inhalation-dust/mist) 84.80 mg/l ATEmix (inhalation-vapor) 622.00 ATEmix

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Supplier Trade Secret	96h EC50: 6500 - 13000 mg/L (Pseudokirchneriella subcapitata)	96h LC50: = 41000 mg/L (Oncorhynchus mykiss) 96h LC50: 14 - 18 mL/L (Oncorhynchus mykiss) 96h LC50: = 40761 mg/L (Oncorhynchus mykiss) 96h LC50: = 27540 mg/L (Lepomis macrochirus) 96h LC50: = 16000 mg/L (Poecilia reticulata) 96h LC50: 40000 - 60000 mg/L (Pimephales promelas)	EC50 = 620.0 mg/L 30 min	48h EC50: = 46300 mg/L
Supplier Trade Secret		96h LC50: = 14 mg/L (Pimephales promelas) 96h LC50: 15.04 - 21.54 mg/L (Lepomis macrochirus) 96h LC50: 26.1 - 36.63 mg/L (Poecilia reticulata)	EC50 = 2080 mg/L 5 min	24h EC50: = 52 mg/L
Supplier Trade Secret		, , , , , , , , , , , , , , , , , , , ,		24h EC50: > 5600 mg/L

Persistence and Degradability No information available.

Bioaccumulation

Chemical Name	Log Pow
Supplier Trade Secret	-1.93
Supplier Trade Secret	0.73

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.
US EPA Waste Number	U404 U154

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Supplier Trade Secret	Toxic
	Ignitable

14. TRANSPORT INFORMATION

<u>DOT</u> Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
TDG	Not regulated
<u>MEX</u>	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not regulated N/A
<u>RID</u>	Not regulated
ADR	Not regulated
ADN	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCACompliesDSLAll components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Supplier Trade Secret -		1 - 5	1.0
Supplier Trade Secret -		1 - 5	0.1
SARA 311/312 Hazard Categories			·
Acute Health Hazard	No		
Chronic Health Hazard	Yes		
Fire Hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Supplier Trade Secret	5000 lb			Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Supplier Trade Secret	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Supplier Trade Secret	5000 lb	5000 lb	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Supplier Trade Secret -	Carcinogen
Supplier Trade Secret -	Carcinogen
Supplier Trade Secret -	Carcinogen
Supplier Trade Secret -	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Supplier Trade Secret	X	x	Х		
Supplier Trade Secret	Х	Х	Х	Х	Х
Supplier Trade Secret	Х	Х	Х		
Supplier Trade Secret	Х	Х	Х	Х	Х
Supplier Trade Secret	Х	Х	Х		

Supplier Trade Secret	Х	Х	Х	Х

International Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Supplier Trade Secret		Mexico: TWA= 10 mg/m ³
(5-10)		Mexico: STEL= 20 mg/m ³
Supplier Trade Secret		Mexico: Ceiling 100 mg/m ³
(1-5)		
Supplier Trade Secret		Mexico: TWA 5 mg/m ³
(1-5)		Mexico: STEL 10 mg/m ³
Supplier Trade Secret	A3	Mexico: TWA 10 ppm
(1-5)		Mexico: TWA 30 mg/m ³
		Mexico: STEL 20 ppm
		Mexico: STEL 60 mg/m ³
Supplier Trade Secret		Mexico: TWA 3.5 mg/m ³
(0.1 - 1)		Mexico: STEL 7 mg/m ³

A3 - Confirmed Animal Carcinogen

Mexico - Occupational Exposure Limits - Carcinogens

Canada WHMIS Hazard Class

Not determined

16. OTHER INFORMATION

NFPA	Health Hazards 1 Flammab	ility 0	Instability 0	Physical and Chemical Hazards -		
HMIS	Health Hazards 1* Flammab	ility 0	Physical Hazard 0	Personal Protection		
Chronic Hazard Star Legend * = Chronic Health Hazard						
Prepared By	Product Stewardship 23 British American B Latham, NY 12110 1-800-572-6501	lvd.				
Revision Date Revision Note	2-March-2016 No information availa	ble				

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet